


SEAMUS COX & CO

~ ESTATE AGENTS ~ CHARTERED SURVEYORS ~ VALUERS ~

28 East Bridge Street, Enniskillen, Co. Fermanagh, BT74 7BT
Tel: 028 6632 5553 Fax: 028 6632 5245

FOR SALE BY PRIVATE TREATY

Excellent Circa 0.5 Acre Building site with Outline Planning Permission for a Dwelling (Ridge Height 6.0 Metres) situated in a very scenic tranquil rural location



DERRYBRICK, KESH

Per instructions we offer for sale the above Building site of Circa 0.5 acre, being sold with Outline Planning Planning permission for a dwelling (ridge Height 6.0 Metres). The site is located in a quiet yet convenient rural area with a good outlook and has a river running alongside the boundary and quaint stone bridge.

Directions: Out of Kesh Village, towards Pettigo/Boa Island, Proceed for 0.8 Miles- Past Spar Filling Station, turn Right (Tubrid/Castledearg) and continue for 1.7 Miles and site situated on your Left hand Side- Identified by our for sale board.

PRICE: OFFERS OVER £110,000

Copy of outline Planning Permission and Map for Identification Purposes Enclosed



Seamus Cox MRICS
Marina Cox

Justin McConnell BSc (Hons)

Note: Seamus Cox and Co for themselves and for the vendors of this property whose agents they are given notice that (i) the particulars are set out as a general outline only for the guidance of the intending purchasers or lessees, and do not constitute, nor constitute part of, an offer or contract; (ii) all descriptions, dimensions, references to condition and necessary permissions for use and occupation, and other details are given, without responsibility and any intending purchasers or tenants should not rely on them as statements or representations of fact but must satisfy themselves by inspection or otherwise as to the correctness of each of them; (iii) no person in the employment of Seamus Cox and Co has any authority to make or give any representation or warranty whatever in relation to this property.



OUTLINE PLANNING PERMISSION

Planning (Northern Ireland) Order 1991

Application No: **L/2005/0269/O**

Date of Application: **8th February 2005**

Site of Proposed Development: **Derrybrick, Ederney**

Description of Proposal: **Site for dwelling.**

Applicant: **W Johnston**
Address: **c/o 17 Main Street**
Dromore
BT78 3AE

Agent: **Mr D O'Neill**
Address: **17 Main Street**
Dromore
Co Tyrone

Drawing Ref: **01.**

The Department of the Environment in pursuance of its powers under the above-mentioned Order hereby

GRANTS OUTLINE PLANNING PERMISSION

for the above-mentioned development in accordance with your application subject to compliance with the following conditions which are imposed for the reasons stated:

1. As required by Article 35 of the Planning (Northern Ireland) Order 1991, application for approval of the reserved matters shall be made to the Department within 3 years of the date on which this permission is granted and the development, hereby permitted, shall be begun by whichever is the later of the following dates:-

- i. the expiration of 5 years from the date of this permission; or
- ii. the expiration of 2 years from the date of approval of the last of the reserved matters to be approved.

Reason: Time limit.

2. Approval of the details of the design and external appearance of the buildings, the means of access thereto and the landscaping of the site (hereinafter called 'the reserved matters'), shall be obtained from the Department, in writing, before any development is commenced.

Application No. **L/2005/0269/O**

DC1001MW

Enniskillen Planning Office

See also Explanatory Notes attached



An Agency within the Department of the
Environment



INVEST FOR IN PEOPLE



Reason: To enable the Department to consider in detail the proposed development of the site.

3. The proposed dwelling shall exhibit the traditional elements of rural design, particularly in form, proportion and finishes, as set out in the Department's Planning Strategy for Rural Northern Ireland and the Department's Design Guide for Rural Northern Ireland.

Reason: To ensure the dwelling is in keeping with the character of the rural area.

4. The development hereby approved shall be sited parallel or gable-end to the road, and within the area shaded green as indicated on the stamped approved 1/2500 scale location map bearing the date stamp received 8th February 2005.

Reason: In the interests of visual amenity.

5. The proposed dwelling shall have a ridge height not exceeding 6.0 metres above finished floor level.

Reason: To ensure that the development integrates into the landscape in accordance with the requirements of the Department's Rural Strategy.

6. The depth of underbuilding between finished floor level and existing ground level shall not exceed 0.45 metres at any point.

Reason: In the interest of visual amenity.

7. A block plan of the site indicating the finished floor level(s) of the proposed dwelling in relation to the existing and proposed ground levels and the existing road levels shall be submitted to the Department at Reserved Matters stage.

Reason: To ensure the dwelling integrates into the landform.

8. The existing mature trees and vegetation along the entire site boundaries shall be retained except where it is required to provide sight lines. No trees or vegetation shall be lopped, topped or removed without the prior consent in writing of the Department, unless necessary to prevent danger to the public in which case a full explanation shall be given to the Department in writing at the earliest possible moment.

Reason: In the interests of visual amenity.

9. A landscaping scheme shall be submitted simultaneously with the detailed drawings (for the development hereby approved) at the Reserved Matters stage. Any trees or shrubs which may be damaged or die within a period of 5 years from the date of planting shall be replaced by plants of similar species and size at the time of their removal. All landscaping shall take place within the first available planting season after the commencement of the development. The plans and particulars submitted shall include details of the existing tree/hedges to be retained, site preparation, planting methods, medium and additives together with the species, size and time of planting, presentation, location, spacing and numbers of all trees and shrubs to be planted and the proposed time of planting.

Application No. L/2005/0269/O

DC1001MW

Enniskillen Planning Office

See also Explanatory Notes attached



Reason: To ensure the provision, establishment and maintenance of a high standard of landscaping in the interests of visual amenity.

10. Notwithstanding the provisions of the Planning (General Development) Order (NI) 1993, or any Order revoking and re-enacting that Order, no buildings, walls, gates, pillars or fences shall be erected or constructed at the access point, to the site indicated on stamped approved Drawing No. 01, received on 8th February 2005, without receiving prior consent in writing from the Department.

Reason: To preserve the amenity of the countryside.

11. Development shall not commence until Water Act Consent has been obtained for the discharge of sewerage effluent and a copy of consent has been forwarded to Planning Service.

Reason: To ensure a satisfactory means of effluent disposal can be provided.

12. A scale plan at 1:500 shall be submitted as part of the reserved matters application showing the access to be constructed in accordance with the attached form RS1.

Reason: To ensure there is a satisfactory means of access in the interests of road safety and the convenience of road users.

13. The vehicular access, including visibility splays and any forward sight line, shall be provided in accordance with the approved plans, prior to the commencement of any works or other development hereby permitted.

Reason: To ensure there is a satisfactory means of access in the interests of road safety and the convenience of road users.

Informatives

1. With regard to the above Condition No. 03, you are advised that in order to meet the requirements of the Department's Design Guide for Rural Northern Ireland, the form, shape and materials will normally fall within the following parameters:-
- i. The width of the dwelling frontage should not exceed 18 metres for single storey dwellings or 20 metres if the roofline is broken or frontage set back.
 - ii. The roof pitch should be within the range 35 to 40 degrees except when gable depth is below 7.5 metres, then 45 degrees is acceptable.
 - iii. The front elevation should not have any projection or return other than a simple pitched roof storm porch if desired.
 - iv. Any chimneybreast should be internal, with the chimneystack positioned centrally on the ridge, preferably at the gable end of the dwelling.
 - v. The proposed wall finish, in a colour to be agreed with the Department, should be smooth plaster or roughcast render and painted, or have a dry dash finish. The roofing tiles or slates should be blue/black or dark grey and be flat and non-profiled.

Application No. L/2005/0269/O

DC1001MW

Enniskillen Planning Office

See also Explanatory Notes attached



An Agency within the Department of the
Environment
www.doen.gov.uk



INVESTOR IN PEOPLE



2. Environmental Health comments:-

Any septic tank must be a minimum of 15 metres from the proposed dwelling or any other habitable dwelling.

A consent to discharge sewage effluent must be obtained from DoE, Environment and Heritage Service, as required by The Water (Northern Ireland) Order 1999.

A legal agreement must be obtained in relation to lands used in connection with any septic tank/drainage arrangements where such lands are outside the ownership of the applicant or outside the area marked in red which is the subject of this application.

This agreement must ensure that the lands in question will always be available for the intended purpose and also that any owner/occupier of the proposed development will have access to these lands for maintenance/improvement works as required.

3. Rivers Agency comments:-

Developers should acquaint themselves of their statutory obligations in respect of watercourses as prescribed in the Drainage (Northern Ireland) Order 1973, and consult the Rivers Agency of the Department of Agriculture accordingly on any related matters.

4. Any proposals in connection with the development, either temporary or permanent which involve interference with any watercourse at the site:- such as diversion, culverting, bridging; or placing any form of structure in any watercourse, require the written consent of the Rivers Agency. Failure to obtain such consent prior to carrying out such proposals is an offence under the Drainage Order which may lead to prosecution or statutory action as provided for.
5. Any proposals in connection with the development, either temporary or permanent which involve additional discharge of storm water to any watercourse require the written consent of the Rivers Agency. Failure to obtain such consent prior to permitting such discharge is an offence under the Drainage Order which may lead to prosecution or statutory action as provided for.
6. If, during the course of developing the site, the developer uncovers a watercourse not previously evident, he should advise the local Rivers Agency office immediately in order that arrangements may be made for investigation and direction in respect of any necessary measures required to deal with the watercourse.
7. The Rivers Agency has no record of flooding occurring at the site. However, visual inspection indicates that it may be subject to marginal flooding originating from the watercourse(s) which traverse/bound the site. and developers would be advised to obtain advice from competent, suitably **qualified persons to assist them in determining appropriate site and finished floor levels.**
8. Where an undesignated watercourse flows through or adjacent to a development site, it is strongly advised that a working strip of appropriate width is retained to, in future, enable riparian landowners to fulfil their statutory obligations/responsibilities.

Application No. L/2005/0269/O

DC1001MW

Enniskillen Planning Office

See also Explanatory Notes attached





9. Public water supply available, subject to Water Service approval to connect. If required a connection will be granted on approval of a completed Water Service Application Form and payment of the Department's standard charge. Contact Water Service's Customer Services Unit to obtain an application form, or telephone Waterline on 0845 7440088.
10. Foul water sewer not available. The use of a septic tank, (on the basis of one for each dwelling) is subject to the necessary written consent being obtained from the Environment and Heritage Service and the approval of the local District Council Environmental Health section.

Where approval to the use of a septic tank disposal system is granted and the applicant wishes the Water service to provide a periodic desludging service the applicant must complete the necessary 'Form of Agreement' and adhere to the construction requirements contained therein. Contact Water Service's Customer Services Unit to obtain a 'Form of Agreement' form, or telephone Waterline on 0845 7440088.


11. Surface water sewer not available. Surface water must not be taken to the foul sewer. Where it is proposed to discharge surface water to a river, stream or watercourse prior written consent for such discharge must be obtained from the Department of Agriculture's River Agency.
12. To ensure compliance with the Water and Sewerage Services (Northern Ireland) Order 1973, as amended 1993, consultation with Water Service is essential at design stage with regard to the following matters:

(a) septic tank emptying;

Contact Water Service's Customer Services Unit or telephone Waterline on 0845 7440088.

13. The applicant is advised to contact Water Service through its Customer Service's Unit or Waterline on 0845 7440088 upon receipt of this decision to discuss any issues of concern.
14. If during the course of developing the site the developer uncovers a pipe not previously evident the local Water Service should be notified immediately in order that arrangements may be made for investigation and direction in respect of any necessary measures required to deal with the pipe.
15. This decision refers to stamped approved Drawing No. 01 which was received on 8th February 2005.

Dated: 14th July 2005



Authorised Officer

Application No. L/2005/0269/O

DC1001MW

Enniskillen Planning Office

See also Explanatory Notes attached

Planning Ref: 1/2005/269

- 1. The detailed access requirements for the above proposal, are set out in the box below. A maximum 1:500 scale plan incorporating these requirements must be submitted as part of the Reserved Matters application.
- 2. Notes marked with an "X" to be copied onto Plan
The Applicant and/or his successors in title shall comply with conditions marked with a "Z".

3. Layout to be in accordance with Diagram(s) 1 vertical.

4. Visibility Splays X = 2.4 metres Y = 80 metres

5. Forward Sight Distance _____ m

6. Width of Access (if different from diagram) _____ m

7. Minimum radii (if different from diagram). Entry _____ metres. Exit _____ metres

8. **ACCESS ACROSS FOOTWAY**
Where the access crosses a footway it is important to have intervisibility between pedestrians and emerging motorists. In these circumstances there should normally be visibility splays between a driver's viewpoint 2m back into the access and a distance measured along the back of the footway for 2m on each side of the viewpoint.

9. **PARKING/TURNING** X
The required vehicle parking and turning areas to be provided within the curbside of the site. Provision must be made for vehicles to reverse and exit in forward gear. (Private drive 18 m x 3.2 m. Over 3 businesses require 24 m x 3.2 m).

10. Access position NE Boundary

11. Other Requirements:
(a) X A 150mm pipe shall connect a gully to a suitable drain.
(b) _____

SIGNED G McK DATE 3/3/2005

"Z" The proposed access details shall also be in accordance with the Roads Service publication "Vehicular Access Standards" some portions of which are reproduced below for convenience.

VISIBILITY SPLAYS X

12. Visibility splays must be retained in perpetuity.

VISIBILITY SPLAYS X

13. The area within the visibility splays shall be cleared to provide a level surface no higher than 250mm above the level of the adjoining carriageway and shall be retained and kept clear thereafter.

POLES/COLUMNS X

14. Any pole or column materially affecting visibility must also be removed. A maximum of 1 No. pole or column is acceptable in each visibility splay. The cost of removing columns/poles is borne by the Applicant. No work shall commence on site until the visibility splays have been provided.

HEDGES, ETC. X

15a. Any hedges/walls/fences/trees/shrubs etc (of any height) located in front of the visibility splays shall be removed.

FENCE/WALL X

15b. The line of any new fence or wall must be positioned behind the visibility splays. It is recommended that any new trees or shrubs be planted at least 1.0m back from the visibility splays to allow for future growth and some species will require additional set back.

DRAINAGE X

16a. Drainage shall be provided where necessary to prevent water from the access flowing onto the public road. Similarly the existing road drainage must be accommodated where appropriate and measures must be taken to prevent road surface water from flowing onto the access. The appropriate drainage arrangements must be detailed on the plan.

16b. It is the Applicant's responsibility to ensure that surface water from the roof of the development does not flow onto the public road, including the footway.

17. Open drains or outlets in the road verge shall be piped to the satisfaction of DRD Roads Service (Tel: 6634 3700). Watercourses behind/ in front of a hedge/ fence line shall be piped to the satisfaction of the Rivers Agency (Tel: 6638 8529).

GRADIENT

18. Gradient of the access shall not exceed 1:12.5 (8%) over the first 5 metres outside the road boundary, i.e. from the back of the verge/back of footway/ fence-line / edge of carriageway.

Gradient of the access shall not exceed 1:25 (4%) over the first 10 metres outside the road boundary, i.e. from the back of the verge/back of footway/fence-line/edge of carriageway.

[Delete as appropriate]

GRADIENT

19. Where the vehicular access crosses a footway, the access gradient shall be between 4% (1:25) maximum and 2.5% (1:40) minimum and shall be formed so that there is no abrupt change of slope along the footway.

GATES SECURITY BARRIERS X

20. Entrance gates, where provided, should be sited at least 3 metres from the edge of the carriageway. Where this is not possible, they shall be sited so that when open they do not project over the footway, verge, or carriageway.

21. In the case of industrial premises or other major accesses, gates or security barriers shall be located at a distance from the edge of the carriageway that will allow the largest vehicle likely to use the access to stop clear of the carriageway when the gates or barriers are closed.

DRIVEWAY WIDTH X

22. Minimum width 3.2 m. Maximum - 5.0m

VISIBILITY SPLAYS ACROSS EXISTING FOOTWAY

23. The footway shall be extended to the rear of the visibility splays and a backing kerb provided. The extension must use the same material (Bitmac/Asphalt) used in the construction of the footway.

24. Any existing access shall be closed within 4 weeks of new access opening.

TRUNK ROADS - DWELL AREA

25. Where the access is above the public road, the access gradient for the first 1.5m immediately adjacent to a trunk road shall be between 0 and 2%.

SURFACE MATERIAL X

26. Entrances/lay-bys shall be surfaced in bitmac/ asphalt between the edge of the public road and a point in line with the centre line of the existing hedge/fence/wall etc.

DROPPED KERBS

27. Kerbs shall be dropped over a distance of 6m across the mouth of the entrance.

SEPTIC TANKS

28. Position of the septic tank to be shown. Drainage must not be discharged directly towards the public road or into any drain leading to the public road.

ACCESS ACROSS VERGE/FOOTWAY, ETC


29. Roads Service have no objection to access across a roadside verge/footway. The only exception to this is where an access is onto a public car park, in this particular case a legal agreement (together with payment) must be entered into with Roads Service prior to full/reserved matters planning permission being recommended. Apart from car parks there is no non-refundable charge for crossing a verge/footway.

DISABLED PARKING

30. A minimum of one marked disabled parking space shall be provided close to the entrance (over 25 spaces: 1/25).

31. The Applicant is required under the Roads (NI) Order 1993 to be in possession of the Department's consent before any work commences which involves openings to any fence/hedge/wall etc bounding the front of a site. The consent is available from M. Egan Tel: 66343717. A deposit will be required.

32. Plant visibility splay/Forward sight distance with ground covering shrubs, e.g. Erica Carnea Whitehall - mature height 150 mm or other shrubs with maximum mature height of up to 150mm. See Point 3.1 of DCAN15 for guidelines on forward sight distance (Footprint available from Planning Service).



L/2005 / 0 2 6 9 -

Project PROPOSED SITE FOR DWELLING		REVISIONS	Date dec 04	Plan No 001a	AGENT DESMOND O'NEILL ARCHITECTURAL & DESIGN SERVICES 17 MAIN STREET, DROMORE, CO TYRONE, BT78 3AE TEL-FAX - 028 82 897052
Location DERRYBRICK KESH			O.S. SHEET NUMBER 153-4		
Client MR W JOHNSTON	Title LOCATION PLAN				
Scale 1:2500					